

DNK POWER COMPANY LIMITED

www.dnkpower.com

Add: Floor 7,35 Building,Tongfuyu industry park, Hua Fan Road, Da Lang Street, Long Hua New District,Shenzhen City,
Guangdong Province, China,518109

Contact: Mrs. Jenny Cellphone: 0086-158 9977 5006 Office: 0086-755-36827358 Fax: 86-755-61605250

Email: sales1@dnkpower.com Skype: jennydnkpower we chat: +86 15899775006 whats app:+86 15899775006

List of Lithium Battery Cell

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1	101124	1	11	24	3.7	4.2	8
4	102035	10	20	35	3.7	4.2	550
6	102050	10	20	50	3.7	4.2	1000
8	102052	10	20	52	3.7	4.2	1000
10	102433	9.9	24	33	3.7	4.2	640
12	102460	10	24	60	3.7	4.2	1600
14	102534	9.9	25	34	3.7	4.2	750
15	102540	10	25	40	3.7	4.2	1200
16	102640	10	26	40	3.7	4.2	800
17	102831	10	28	31	3.7	4.2	1000
18	102843	10	28	42	3.7	4.2	1100
19	103035	10.2	30	35	3.7	4.2	1000
20	103040	10	30	40	3.7	4.2	1200
21	103048	10	30	48	3.7	4.2	1500
22	103050	10	30	50	3.7	4.2	1200
23	103058	10	30	57	3.7	4.2	1800
24	103232	10	32	33	3.7	4.2	1100
25	103246	10	32	46	3.7	4.2	1600
26	103438	10	34	39	3.7	4.2	1400
27	103443	10	34	43	3.7	4.2	1300
28	103445	10	34	45	3.7	4.2	1700
29	103448	10	34	48	3.7	4.2	950
30	103450	10	34	50	3.7	4.2	1800
31	103451	10	34	50	3.7	4.2	1850
32	103456	10	34	56	3.7	4.2	2450
33	103465	10	34	65	3.7	4.2	2200
34	103564	10	35	64	3.7	4.2	2300
35	103740	10	37	40	3.7	4.2	1580
36	104050	10	40	51	3.7	4.2	2400
37	104070	10	40	70	3.7	4.2	3400
38	104260	10	42	60	3.7	4.2	2900
39	104543	10	45	43	3.7	4.2	2000
40	104554	10	45	54	3.7	4.2	3000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
41	104678	10	46	78	3.7	4.2	3800
42	104772	10	47	72	3.7	4.2	5000
43	105068	10	50	68	3.7	4.2	4000
44	105080	10	50	80	3.7	4.2	5000
45	105274	10	52	75	3.7	4.2	4800
46	105472	10	54	72	3.7	4.2	4800
47	105490	10	54	90	3.7	4.2	5800
48	105568	10	55	68	3.7	4.2	5000
49	105575	10	55	75	3.7	4.2	5000
50	105781	10	57	81	3.7	4.2	6000
51	106065	10	60	63	3.7	4.2	4400
52	106070	10	60	70	3.7	4.2	5000
53	106090	10	60	89	3.7	4.2	6800
54	106373	10	63	73	3.7	4.2	6000
55	106897	10	68	98	3.7	4.2	8600
56	107063	10	70	63	3.7	4.2	5000
57	113450	11	34	52	3.7	4.2	2000
58	114270	11	42	70	3.7	4.2	3800
59	114848	11	48	48	3.7	4.2	2600
60	115052	11	50	53	3.7	4.2	3000
61	115274	11	32	46	3.7	4.2	5200
62	115586	11	55	86	3.7	4.2	6400
63	115590	11	55	90	3.7	4.2	6300
64	122750	12	27	50	3.7	4.2	1700
65	123637	12	36	36	3.7	4.2	1400
66	124383	12	43	82	3.7	4.2	5000
67	126090	12	60	90	3.7	4.2	8000
68	126168	12	61	68	3.7	4.2	6000
69	126386	12	63	86	3.7	4.2	4600
70	151025	1.5	10	25	3.7	4.2	12
71	155472	15	54	72	3.7	4.2	480
72	201230	2	12	30	3.7	4.2	80
73	202040	2	20	40	3.7	4.2	130
74	202060	2	20	60	3.7	4.2	100
75	202435	20	24	35	3.7	4.2	140
76	202628	2	26	28	3.7	4.2	100
77	203445	20	34	45	3.7	4.2	270
78	213854	21	38	54	3.7	4.2	430
79	231023	2.3	10	23	3.7	4.2	40
80	232084	2.3	20	84	3.7	4.2	250
81	233545	23	35	45	3.7	4.2	320
82	233845	23	38	45	3.7	4.2	400

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
83	241535	2.4	15	35	3.7	4.2	100
84	243024	2.4	30	24	3.7	4.2	90
85	250928	2.5	9	28	3.7	4.2	35
86	251445	2.5	14	45	3.7	4.2	120
87	253048	2.5	30	48	3.7	4.2	220
88	253074	2.5	30	74	3.7	4.2	450
89	253341	2.5	33	41	3.7	4.2	330
90	254337	2.5	43	37	3.7	4.2	400
91	258997	2.5	89	97	3.7	4.2	3000
92	259099	2.5	90	99	3.7	4.2	3300
93	259199	2.5	91	99	3.7	4.2	3270
94	259296	2.5	92	96	3.7	4.2	3000
95	261851	2.6	18	51	3.7	4.2	200
96	261853	2.6	18	53	3.7	4.2	250
97	262535	2.6	25	35	3.7	4.2	180
98	266073	2.6	60	73	3.7	4.2	1300
99	268497	2.6	84	97	3.7	4.2	2600
100	269187	2.6	91	87	3.7	4.2	3000
101	271035	2.7	10	35	3.7	4.2	60
102	272031	2.7	20	31	3.7	4.2	150
103	274237	2.7	42	37	3.7	4.2	370
104	278686	2.7	86	86	3.7	4.2	2200
105	281123	2.8	11	23	3.7	4.2	50
106	288087	2.8	80	87	3.7	4.2	2500
107	288494	2.8	84	94	3.7	4.2	3000
108	288888	2.8	88	88	3.7	4.2	2800
109	289296	2.8	92	96	3.7	4.2	3000
110	293996	2.9	39	96	3.7	4.2	1715
111	295747	2.9	57	47	3.7	4.2	922
112	297190	2.9	71	90	3.7	4.2	1800
113	298280	2.9	82	80	3.7	4.2	2700
114	298292	2.9	82	93	3.7	4.2	3000
115	298496	2.9	84	96	3.7	4.2	3520
116	301014	3	10	14	3.7	4.2	20
117	301015	3	10	15	3.7	4.2	28
118	301016	3	10	15	3.7	4.2	28
119	301022	3	10	22	3.7	4.2	45
120	301025	3	10	25	3.7	4.2	50
121	301040	3	10	40	3.7	4.2	100

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
122	301045	3	10	45	3.7	4.2	110
123	301140	3	11	40	3.7	4.2	90
124	301218	3	12	18	3.7	4.2	40
125	301240	3	12	40	3.7	4.2	100
126	301244	3	12	44	3.7	4.2	90
127	301318	3	13	18	3.7	4.2	55
128	301330	3	13	30	3.7	4.2	100
129	301420	3	14	20	3.7	4.2	60
130	301424	3	14	24	3.7	4.2	90
131	301430	3	14	30	3.7	4.2	65
132	301525	3	15	25	3.7	4.2	80
133	301530	3	15	30	3.7	4.2	75
134	301646	3	16	46	3.7	4.2	200
135	301730	3	17	30	3.7	4.2	300
136	302020	3	20	20	3.7	4.2	110
137	302025	3	20	25	3.7	4.2	110
138	302030	3	20	30	3.7	4.2	120
139	302060	3	20	60	3.7	4.2	240
140	302323	3	23	23	3.7	4.2	110
141	302424	3	24	24	3.7	4.2	150
142	302430	3	24	30	3.7	4.2	170
143	302525	3	25	25	3.7	4.2	120
144	302526	3	25	26	3.7	4.2	170
145	302530	3	25	30	3.7	4.2	140
146	302540	3	25	40	3.7	4.2	250
147	302575	3	25	75	3.7	4.2	330
148	302682	3	26	82	3.7	4.2	760
149	302727	3	27	27	3.7	4.2	110
150	302874	3	28	75	3.7	4.2	600
151	303035	3	30	35	3.7	4.2	280
152	303040	3	30	40	3.7	4.2	300
153	303450	3	34	50	3.7	4.2	500
154	304133	3	41	33	3.7	4.2	400
155	304265	3	42	65	3.7	4.2	800
156	304545	3	45	45	3.7	4.2	500
157	305597	3	5	97	3.7	4.2	2500
158	306290	3	62	90	3.7	4.2	2000
159	306572	3	65	72	3.7	4.2	1755
160	306589	3	65	89	3.7	4.2	3000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
161	306799	3	67	99	3.7	4.2	2700
162	306990	3	69	90	3.7	4.2	2000
163	306998	3	69	98	3.7	4.2	2600
164	308085	3	80	85	3.7	4.2	2800
165	308090	3	80	90	3.7	4.2	3000
166	308289	3	82	89	3.7	4.2	3100
167	309278	3	92	78	3.7	4.2	2700
168	309590	3	95	90	3.7	4.2	3800
169	316470	3.1	64	70	3.7	4.2	2250
170	316490	3.1	64	90	3.7	4.2	2000
171	317085	3.1	70	85	3.7	4.2	2150
172	317095	3.1	70	95	3.7	4.2	2300
173	320824	3.2	8	24	3.7	4.2	60
174	320934	3.2	9	34	3.7	4.2	65
175	321418	3.2	14	18	3.7	4.2	50
176	323089	3.2	30	89	3.7	4.2	1160
177	323539	3.2	35	39	3.7	4.2	450
178	323756	3.3	37	56	3.7	4.2	700
179	323996	3.2	39	96	3.7	4.2	1810
180	325883	3.2	58	83	3.7	4.2	2300
181	326291	3.2	62	91	3.7	4.2	3000
182	326380	3.2	63	80	3.7	4.2	2450
183	326572	3.2	65	72	3.7	4.2	2550
184	326585	3.2	65	85	3.7	4.2	2000
185	326588	3.2	65	88	3.7	4.2	2945
186	328173	3.2	81	73	3.7	4.2	2600
187	328490	3.2	84	90	3.7	4.2	3500
188	329192	3.2	91	92	3.7	4.2	4000
189	331675	3.3	16	75	3.7	4.2	400
190	332029	3.3	20	29	3.7	4.2	150
191	332832	3.3	28	32	3.7	4.2	250
192	333547	3.4	35	47	3.7	4.2	600
193	333797	3.3	37	97	3.7	4.2	1700
194	333993	3.3	39	93	3.7	4.2	1960
195	336090	3.3	60	91	3.7	4.2	2000
196	336185	3.3	61	85	3.7	4.2	3000
197	336585	3.3	65	85	3.7	4.2	200
198	336790	3.3	67	90	3.7	4.2	3000
199	337095	3.3	70	95	3.7	4.2	2200

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
200	337888	3.3	78	88	3.7	4.2	4020
201	338492	3.3	84	92	3.7	4.2	3000
202	340835	3.4	8	35	3.7	4.2	75
203	341413	3.4	14	13	3.7	4.2	45
204	341425	3.4	14	25	3.7	4.2	60
205	341553	3.4	15	53	3.7	4.2	200
206	342262	3.4	22	62	3.7	4.2	570
207	343450	3.4	34	50	3.7	4.2	550
208	343475	3.4	34	75	3.7	4.2	1100
209	343993	3.4	39	93	3.7	4.2	1970
210	346473	3.4	64	73	3.7	4.2	2730
211	346588	3.4	65	88	3.7	4.2	3000
212	347290	3.4	72	90	3.7	4.2	1800
213	349187	3.4	91	87	3.7	4.2	4025
214	350829	3.5	8	29	3.7	4.2	50
215	350830	3.5	8	30	3.7	4.2	55
216	350926	3.5	9	26	3.7	4.2	60
217	351018	3.5	10	18	3.7	4.2	40
218	351028	3.5	10	28	3.7	4.2	65
219	351120	3.5	11	20	3.7	4.2	40
220	351126	3.5	11	26	3.7	4.2	55
221	351213	3.5	12	13	3.7	4.2	40
222	351220	3.5	12	20	3.7	4.2	50
223	351221	3.5	12	21	3.7	4.2	52
224	351328	3.5	13	28	3.7	4.2	90
225	351420	3.5	14	20	3.7	4.2	70
226	351422	3.5	14	22	3.7	4.2	100
227	351455	3.5	14	55	3.7	4.2	230
228	351538	3.5	15	38	3.7	4.2	180
229	351580	3.5	15	80	3.7	4.2	520
230	351745	3.5	17	45	3.7	4.2	210
231	351772	3.5	17	72	3.7	4.2	400
232	351930	3.5	19	30	3.7	4.2	195
233	352025	3.5	20	26	3.7	4.2	130
234	352428	3.5	24	28	3.7	4.2	240
235	352533	3.5	25	33	3.7	4.2	220
236	353030	3.5	30	30	3.7	4.2	260
237	353035	3.5	30	35	3.7	4.2	350
238	353045	3.6	30	45	3.7	4.2	480

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
239	353283	3.5	32	82	3.7	4.2	930
240	353450	3.5	34	50	3.7	4.2	620
241	353841	34.5	38	41	3.7	4.2	500
242	354098	3.5	40	98	3.7	4.2	1800
243	355393	3.5	53	93	3.7	4.2	2800
244	355496	3.5	54	96	3.7	4.2	2400
245	356095	3.6	60	95	3.7	4.2	2300
246	356378	3.5	63	78	3.7	4.2	3000
247	356385	3.5	63	85	3.7	4.2	3180
248	356577	3.5	65	77	3.7	4.2	3020
249	356581	3.5	65	81	3.7	4.2	2945
250	356777	3.5	67	77	3.7	4.2	3200
251	356984	3.5	69	84	3.7	4.2	3520
252	357090	3.5	70	90	3.7	4.2	2200
253	357095	3.5	70	95	3.7	4.2	3000
254	357390	3.5	73	90	3.7	4.2	2800
255	357595	3.5	75	95	3.7	4.2	2800
256	359191	3.5	91	91	3.7	4.2	4800
257	362048	3.6	20	48	3.7	4.2	330
258	362225	3.6	22	25	3.7	4.2	190
259	362227	3.6	22	27	3.7	4.2	190
260	362828	3.6	28	28	3.7	4.2	280
261	363291	3.6	32	91	3.7	4.2	1500
262	363491	3.6	34	91	3.7	4.2	1600
263	364197	3.6	41	97	3.7	4.2	2000
264	365097	3.6	50	97	3.7	4.2	2100
265	365798	3.6	57	98	3.7	4.2	2900
266	366271	3.6	62	71	3.7	4.2	2830
267	366581	3.6	65	81	3.7	4.2	3320
268	366685	3.6	66	85	3.7	4.2	3260
269	368598	3.6	85	98	3.7	4.2	5020
270	370820	3.7	8	20	3.7	4.2	45
271	370824	3.7	8	24	3.7	4.2	55
272	372020	3.7	20	20	3.7	4.2	90
273	372427	3.7	24	27	3.7	4.2	280
274	372632	3.7	26	32	3.7	4.2	330
275	372927	3.7	29	27	3.7	4.2	300
276	374085	3.7	40	85	3.7	4.2	1400
277	375056	3.7	50	56	3.7	4.2	1000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
278	375083	3.7	50	83	3.7	4.2	1700
279	375981	3.7	59	81	3.7	4.2	2920
280	376473	3.7	64	73	3.7	4.2	2930
281	376480	3.7	64	80	3.7	4.2	3200
282	376581	3.7	65	81	3.7	4.2	3320
283	376586	3.7	65	86	3.7	4.2	3670
284	376686	3.7	66	86	3.7	4.2	3720
285	376781	3.7	67	81	3.7	4.2	3110
286	376799	3.7	67	99	3.7	4.2	3400
287	376873	3.7	68	73	3.7	4.2	2940
288	377593	3.7	75	93	3.7	4.2	3000
289	378481	3.7	84	81	3.7	4.2	3400
290	380828	3.8	8	28	3.7	4.2	65
291	381030	3.8	10	30	3.7	4.2	70
292	381038	3.8	10	38	3.7	4.2	110
293	382528	3.8	25	28	3.7	4.2	280
294	382530	3.8	25	30	3.7	4.2	250
295	382829	3.8	28	29	3.7	4.2	320
296	382832	3.8	28	32	3.7	4.2	350
297	383046	3.8	30	46	3.7	4.2	500
298	383396	3.8	33	96	3.7	4.2	1510
299	383450	3.8	34	50	3.7	4.2	680
300	383562	3.8	35	62	3.7	4.2	850
301	384166	3.8	41	66	3.7	4.2	1000
302	384462	3.8	44	62	3.7	4.2	1020
303	384471	3.8	44	71	3.7	4.2	1700
304	384859	3.8	48	59	3.7	4.2	1500
305	384894	3.8	48	94	3.7	4.2	2200
306	385672	3.8	56	72	3.7	4.2	2300
307	386274	3.8	62	74	3.7	4.2	2600
308	386387	3.8	63	87	3.7	4.2	3560
309	386478	3.8	64	78	3.7	4.2	3050
310	386488	3.8	64	88	3.7	4.2	2380
311	386583	3.8	65	83	3.7	4.2	2900
312	386586	3.8	65	86	3.7	4.2	3670
313	386676	3.8	66	76	3.7	4.2	2900
314	386685	3.8	66	85	3.7	4.2	3920
315	386777	3.8	67	77	3.7	4.2	3800
316	386782	3.8	67	82	3.7	4.2	3250

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
317	386784	3.8	67	84	3.7	4.2	3420
318	387055	3.8	70	55	3.7	4.2	2120
319	387089	3.8	70	89	3.7	4.2	4050
320	387091	3.8	70	91	3.7	4.2	4050
321	388593	3.8	85	96	3.7	4.2	4200
322	392240	3.9	22	39	3.7	4.2	290
323	393027	3.9	30	27	3.7	4.2	320
324	395065	3.9	50	65	3.7	4.2	1260
325	395575	3.9	54	75	3.7	4.2	2000
326	395890	3.9	58	90	3.7	4.2	3870
327	396070	3.9	60	70	3.7	4.2	2850
328	396077	3.9	60	77	3.7	4.2	3020
329	396079	3.9	60	79	3.7	4.2	3000
330	396376	3.9	63	76	3.7	4.2	3020
331	396381	3.9	63	81	3.7	4.2	3070
332	396482	3.9	64	85	3.7	4.2	3070
333	396687	3.9	66	87	3.7	4.2	4220
334	396690	3.9	66	90	3.7	4.2	4000
335	397196	3.9	71	96	3.7	4.2	4870
336	400840	4	8	41	3.7	4.2	100
337	400927	4	9	27	3.7	4.2	75
338	401022	4	10	22	3.7	4.2	50
339	401115	4	11	15	3.7	4.2	40
340	401120	4	11	20	3.7	4.2	55
341	401214	4	12	14	3.7	4.2	45
342	401220	4	12	20	3.7	4.2	70
343	401225	4	12	25	3.7	4.2	85
344	401235	4	12	35	3.7	4.2	100
345	401418	4	14	18	3.7	4.2	65
346	401435	4	14	35	3.7	4.2	157
347	401453	4	14	53	3.7	4.2	270
348	401520	4	15	20	3.7	4.2	105
349	401527	4	15	27	3.7	4.2	140
350	401535	4	15	35	3.7	4.2	170
351	401618	4	16	18	3.7	4.2	90
352	401620	4	16	20	3.7	4.2	90
353	401623	4	16	23	3.7	4.2	100
354	401730	4	17	30	3.7	4.2	180
355	401822	4	18	22	3.7	4.2	90

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
356	401835	4	18	35	3.7	4.2	200
357	402022	4	20	22	3.7	4.2	130
358	402025	4	20	25	3.7	4.2	140
359	402030	4	20	30	3.7	4.2	200
360	402033	4	20	33	3.7	4.2	300
361	402035	4	20	35	3.7	4.2	260
362	402040	4	20	40	3.7	4.2	270
363	402050	4	20	50	3.7	4.2	390
364	402248	4	22	48	3.7	4.2	400
365	402526	4	25	26	3.7	4.2	220
366	402530	4	25	30	3.7	4.2	250
367	402535	4	25	35	3.7	4.2	330
368	402537	4	25	37	3.7	4.2	420
369	402543	4	25	43	3.7	4.2	400
370	402724	4	27	24	3.7	4.2	230
371	402764	4	27	64	3.7	4.2	700
372	402830	4	28	30	3.7	4.2	420
373	402831	4	28	31	3.7	4.2	230
374	402882	4	28	82	3.7	4.2	1000
375	402925	4	29	25	3.7	4.2	290
376	403030	4	30	30	3.7	4.2	300
377	403033	4	30	33	3.7	4.2	400
378	403035	4	30	35	3.7	4.2	400
379	403040	4	30	40	3.7	4.2	430
380	403048	4	30	48	3.7	4.2	500
381	403062	4	30	62	3.7	4.2	800
382	403439	4	34	39	3.7	4.2	580
383	403448	4.2	34	48	3.7	4.2	680
384	403544	4	35	44	3.7	4.2	500
385	404040	4.2	40	41	3.7	4.2	650
386	404662	4	46	62	3.7	4.2	1700
387	404878	4	48	79	3.7	4.2	1700
388	405063	4	50	63	3.7	4.2	1450
389	405065	4	51	65	3.7	4.2	880
390	405080	4	50	80	3.7	4.2	1750
391	405488	4	54	88	3.7	4.2	2000
392	405555	4	55	55	3.7	4.2	1300
393	405576	4	55	76	3.7	4.2	2100
394	406076	4	60	79	3.7	4.2	3320

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
395	406172	4	61	72	3.7	4.2	3200
396	406174	4	61	74	3.7	4.2	2800
397	406274	4	62	74	3.7	4.2	3000
398	406386	4	63	86	3.7	4.2	3920
399	406772	4	67	72	3.7	4.2	3500
400	406785	4	67	85	3.7	4.2	3970
401	406787	4	67	87	3.7	4.2	3920
402	406992	4	69	92	3.7	4.2	4020
403	407171	4	71	71	3.7	4.2	2800
404	407191	4	71	91	3.7	4.2	4520
405	407587	4	75	87	3.7	4.2	3000
406	407987	4	79	87	3.7	4.2	3500
407	408777	4	87	77	3.7	4.2	3000
408	411645	4.1	16	45	3.7	4.2	250
409	412550	4.1	25	50	3.7	4.2	450
410	413078	4.1	30	79	3.7	4.2	1000
411	413440	4.1	34	40	3.7	4.2	550
412	414556	4.1	45	56	3.7	4.2	1500
413	416159	4.1	61	57	3.7	4.2	2530
414	416179	4.1	61	79	3.7	4.2	3250
415	416376	4.1	63	76	3.7	4.2	3200
416	416479	4.1	64	79	3.7	4.2	3020
417	416481	4.1	64	81	3.7	4.2	3500
418	416579	4.1	65	79	3.7	4.2	3670
419	416685	4.1	66	85	3.7	4.2	4050
420	416775	4.1	67	75	3.7	4.2	3000
421	417191	4.1	71	91	3.7	4.2	4500
422	418183	4.1	81	83	3.7	4.2	3200
423	420835	4.2	8	35	3.7	4.2	80
424	421255	4.2	12	55	3.7	4.2	300
425	421645	4.2	16	46	3.7	4.2	250
426	421720	4.2	17	20	3.7	4.2	100
427	422237	4.2	22	37	3.7	4.2	270
428	423040	4.2	30	40	3.7	4.2	500
429	423845	4.2	38	45	3.7	4.2	860
430	424367	4.2	43	67	3.7	4.2	1775
431	425083	4.2	50	83	3.7	4.2	2000
432	425286	4.2	52	86	3.7	4.2	2100
433	425379	4.2	53	79	3.7	4.2	2200

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
434	425468	4.2	54	68	3.7	4.2	1800
435	425696	4.2	56	96	3.7	4.2	3000
436	425766	4.2	57	66	3.7	4.2	2600
437	425797	4.2	57	97	3.7	4.2	3000
438	425863	4.2	58	63	3.7	4.2	2500
439	426175	4.2	61	75	3.7	4.2	3140
440	426268	4.2	62	68	3.7	4.2	2960
441	426286	4.2	62	86	3.7	4.2	3950
442	426580	4.2	65	80	3.7	4.2	4000
443	426883	4.2	68	83	3.7	4.2	3800
444	427488	4.2	74	88	3.7	4.2	3800
445	428853	4.2	88	53	3.7	4.2	2600
446	429088	4.2	90	88	3.7	4.2	4400
447	430943	4.3	9	43	3.7	4.2	160
448	432544	4.3	25	44	3.7	4.2	450
449	432970	4.4	29	71	3.7	4.2	950
450	433059	4.5	30	60	3.7	4.2	700
451	433078	4.4	30	79	3.7	4.2	1050
452	433140	4.3	31	40	3.7	4.2	450
453	433332	4.3	33	32	3.7	4.2	420
454	434248	4.3	42	48	3.7	4.2	950
455	434260	4.3	42	60	3.7	4.2	1250
456	434696	4.3	46	96	3.7	4.2	2710
457	435783	4.3	57	83	3.7	4.2	3120
458	436071	4.3	60	71	3.7	4.2	3050
459	436174	4.3	61	74	3.7	4.2	3000
460	436469	4.3	64	69	3.7	4.2	3100
461	436577	4.3	65	77	3.7	4.2	3850
462	436683	4.3	66	83	3.7	4.2	3350
463	436780	4.3	67	80	3.7	4.2	3880
464	436876	4.3	68	76	3.7	4.2	3930
465	437089	4.3	70	89	3.7	4.2	4020
466	438184	4.3	81	84	3.7	4.2	4300
467	442727	4.4	27	27	3.7	4.2	350
468	442732	4.4	27	32	3.7	4.2	430
469	444053	4.4	40	53	3.7	4.2	950
470	444871	4.4	48	71	3.7	4.2	2170
471	445392	4.4	53	92	3.7	4.2	2500
472	445865	4.4	58	65	3.7	4.2	2500

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
473	446178	4.4	61	78	3.7	4.2	3180
474	446373	4.4	63	73	3.7	4.2	3250
475	446579	4.4	65	79	3.7	4.2	3950
476	446580	4.4	65	80	3.7	4.2	4020
477	446683	4.4	65	83	3.7	4.2	3620
478	450825	4.5	8	25	3.7	4.2	65
479	451033	4.5	10	33	3.7	4.2	100
480	451218	4.5	12	18	3.7	4.2	70
481	451220	4.5	12	20	3.7	4.2	750
482	451225	4.5	12	25	3.7	4.2	100
483	451337	4.5	13	37	3.7	4.2	180
484	451350	4.5	13	50	3.7	4.2	300
485	451565	4.5	15	65	3.7	4.2	400
486	451720	4.5	17	20	3.7	4.2	120
487	451725	4.5	17	25	3.7	4.2	130
488	451830	4.5	18	30	3.7	4.2	230
489	451860	4.5	18	60	3.7	4.2	500
490	452048	4.5	20	48	3.7	4.2	350
491	452052	4.5	20	52	3.7	4.2	430
492	452248	4.5	22	48	3.7	4.2	430
493	452424	4.5	24	24	3.7	4.2	240
494	452426	4.5	24	26	3.7	4.2	250
495	452447	4.5	24	47	3.7	4.2	380
496	452528	4.5	25	28	3.7	4.2	350
497	452529	4.5	25	29	3.7	4.2	350
498	452540	4.5	25	40	3.7	4.2	420
499	452564	4.5	25	64	3.7	4.2	800
500	452627	4.5	26	27	3.7	4.2	350
501	452726	4.5	27	26	3.7	4.2	360
502	453030	4.5	30	30	3.7	4.2	360
503	453046	4.5	30	46	3.7	4.2	600
504	453350	4.5	33	50	3.7	4.2	1000
505	453440	4.7	34	40	3.7	4.2	600
506	453443	4.5	34	43	3.7	4.2	700
507	453453	4.5	34	53	3.7	4.2	850
508	453540	4.5	35	40	3.7	4.2	680
509	453640	4.5	36	40	3.7	4.2	680
510	454045	4.5	40	45	3.7	4.2	900
511	454088	4.5	40	88	3.7	4.2	2400
512	454261	4.5	42	61	3.7	4.2	1530
513	454360	4.5	43	60	3.7	4.2	1800
514	454881	4.5	48	81	3.7	4.2	2200

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
515	454888	4.5	48	88	3.7	4.2	2300
516	455080	4.5	50	80	3.7	4.2	2150
517	456173	4.5	61	73	3.7	4.2	2300
518	456180	4.5	61	80	3.7	4.2	3920
519	456361	4.5	63	61	3.7	4.2	2700
520	456583	4.5	65	83	3.7	4.2	3400
521	456681	4.5	66	87	3.7	4.2	3950
522	457186	4.5	71	86	3.7	4.2	4810
523	457376	4.5	73	76	3.7	4.2	4450
524	458460	4.5	84	60	3.7	4.2	2600
525	461842	4.6	18	42	3.7	4.2	350
526	461846	4.6	18	46	3.7	4.2	500
527	462430	4.8	24	30	3.7	4.2	300
528	465173	4.6	51	73	3.7	4.2	3075
529	465367	4.6	53	67	3.7	4.2	2100
530	465768	4.6	57	68	3.7	4.2	3000
531	466580	4.6	65	80	3.7	4.2	4050
532	466773	4.6	67	73	3.7	4.2	4140
533	466782	4.6	67	82	3.7	4.2	4125
534	471033	4.7	10	33	3.7	4.2	88
535	471162	4.7	11	62	3.7	4.2	250
536	471736	4.7	17	36	3.7	4.2	260
537	472023	4.7	20	23	3.7	4.2	180
538	472830	4.7	28	30	3.7	4.2	400
539	472831	4.7	28	31	3.7	4.2	380
540	472930	4.7	29	30	3.7	4.2	400
541	473653	4.7	36	53	3.7	4.2	980
542	474259	4.7	42	59	3.7	4.2	1400
543	474658	4.7	46	58	3.7	4.2	1450
544	475896	4.7	58	96	3.7	4.2	4000
545	475957	4.7	59	57	3.7	4.2	2100
546	476180	4.7	61	80	3.7	4.2	4100
547	476681	4.7	66	81	3.7	4.2	4000
548	476859	4.7	68	59	3.7	4.2	3010
549	477592	4.7	75	92	3.7	4.2	4700
550	477775	4.7	77	75	3.7	4.2	3600
551	477776	4.7	77	76	3.7	4.2	3600
552	478873	4.7	88	73	3.7	4.2	4780
553	479876	4.7	98	76	3.7	4.2	4000
554	482041	4.8	20	41	3.7	4.2	250
555	482068	4.8	20	68	3.7	4.2	750
556	482228	4.8	22	28	3.7	4.2	280
557	482530	4.8	25	30	3.7	4.2	380

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
558	482834	4.8	28	34	3.7	4.2	450
559	482852	4.8	28	52	3.7	4.2	800
560	482948	4.8	29	49	3.7	4.2	650
561	483381	4.8	33	81	3.7	4.2	1800
562	483744	4.8	37	44	3.7	4.2	1100
563	484379	4.8	43	80	3.7	4.2	2000
564	484890	4.8	48	90	3.7	4.2	2400
565	485068	4.8	50	68	3.7	4.2	2200
566	485097	4.8	50	97	3.7	4.2	2800
567	485361	4.8	53	61	3.7	4.2	2000
568	485490	4.8	54	90	3.7	4.2	3950
569	485570	4.8	55	70	3.7	4.2	1800
570	485573	4.8	55	73	3.7	4.2	2000
571	485595	4.8	55	95	3.7	4.2	4000
572	485643	4.8	56	43	3.7	4.2	1300
573	485683	4.8	56	83	3.7	4.2	2600
574	485779	4.8	57	79	3.7	4.2	3755
575	485796	4.8	57	96	3.7	4.2	3500
576	486180	4.8	61	80	3.7	4.2	4030
577	486585	4.8	65	85	3.7	4.2	4870
578	486588	4.8	65	88	3.7	4.2	4900
579	486775	4.8	67	75	3.7	4.2	3910
580	486789	4.8	67	89	3.7	4.2	3300
581	487878	4.8	78	79	3.7	4.2	3400
582	492328	4.9	23	28	3.7	4.2	240
583	493055	4.9	30	55	3.7	4.2	750
584	494089	4.9	40	89	3.7	4.2	3000
585	494398	4.9	43	98	3.7	4.2	3600
586	495475	4.9	54	75	3.7	4.2	2950
587	495780	4.9	57	80	3.7	4.2	4000
588	495878	4.9	58	78	3.7	4.2	3820
589	496178	4.9	61	78	3.7	4.2	3400
590	500821	5	8	21	3.7	4.2	55
591	500826	5	8	26	3.7	4.2	65
592	501015	5	10	15	3.7	4.2	50
593	501020	5	10	20	3.7	4.2	80
594	501031	5	10	31	3.7	4.2	100
595	501120	5	11	20	3.7	4.2	75
596	501140	5	11	40	3.7	4.2	130
597	501219	5	12	19	3.7	4.2	80
598	501223	5	12	23	3.7	4.2	110
599	501229	5	12	29	3.7	4.2	150
600	501230	5	12	30	3.7	4.2	130

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
601	501235	5	12	35	3.7	4.2	180
602	501240	5	12	40	3.7	4.2	150
603	501335	5	13	35	3.7	4.2	200
604	501417	5	14	17	3.7	4.2	70
605	501430	5	14	30	3.7	4.2	160
606	501520	5	15	20	3.7	4.2	110
607	501530	5	15	30	3.7	4.2	180
608	501632	5	16	32	3.7	4.2	230
609	501640	5	16	40	3.7	4.2	280
610	501656	5	16	56	3.7	4.2	400
611	501730	5	17	30	3.7	4.2	180
612	501818	5	18	18	3.7	4.2	110
613	501832	5	18	32	3.7	4.2	250
614	501884	5	18	84	3.7	4.2	850
615	502025	5	20	25	3.7	4.2	200
616	502030	5	20	30	3.7	4.2	250
617	502035	5	20	35	3.7	4.2	320
618	502040	5	20	40	3.7	4.2	350
619	502055	5	20	55	3.7	4.2	550
620	502060	5	20	60	3.7	4.2	600
621	502228	5	22	28	3.7	4.2	280
622	502236	5	22	36	3.7	4.2	365
623	502244	5	22	44	3.7	4.2	430
624	502258	5	22	58	3.7	4.2	600
625	502325	5	23	25	3.7	4.2	250
626	502439	5	24	39	3.7	4.2	500
627	502450	5	24	50	3.7	4.2	600
628	502478	5	24	78	3.7	4.2	1050
629	502530	5	25	30	3.7	4.2	330
630	502533	5	25	33	3.7	4.2	390
631	502535	5	25	35	3.7	4.2	400
632	502540	5	25	40	3.7	4.2	400
633	502548	5	25	48	3.7	4.2	360
634	502628	5	26	28	3.7	4.2	320
635	502648	5	26	48	3.7	4.2	580
636	502725	5	27	25	3.7	4.2	350
637	502837	5	28	37	3.7	4.2	450
638	503030	5	30	30	3.7	4.2	400
639	503035	5	30	35	3.7	4.2	500
640	503040	4.95	30	40	3.7	4.2	570
641	503048	5	30	48	3.7	4.2	650
642	503255	5	32	55	3.7	4.2	1000
643	503443	5	34	43	3.7	4.2	750

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
644	503446	5	34	46	3.7	4.2	1000
645	503450	5	34	50	3.7	4.2	850
646	503563	5	35	62	3.7	4.2	1300
647	503645	5	36	44	3.7	4.2	750
648	503658	5	36	58	3.7	4.2	1100
649	503759	5	37	59	3.7	4.2	1150
650	504040	4.95	40	41	3.7	4.2	750
651	504041	5	40	41	3.7	4.2	950
652	504050	4.8	40	50	3.7	4.2	1000
653	504078	5	40	78	3.7	4.2	1700
654	504173	5	41	73	3.7	4.2	1700
655	504866	5	48	66	3.7	4.2	2000
656	504879	5	48	80	3.7	4.2	2300
657	504969	5	49	69	3.7	4.2	1950
658	505080	5	50	80	3.7	4.2	2500
659	505378	5	53	79	3.7	4.2	2450
660	505573	5	55	73	3.7	4.2	2500
661	505672	5	56	72	3.7	4.2	2700
662	505781	5	57	81	3.7	4.2	3000
663	505795	5	57	95	3.7	4.2	4000
664	506090	5	60	90	3.7	4.2	3500
665	506274	5	62	74	3.7	4.2	4020
666	507097	5	70	97	3.7	4.2	4250
667	508587	5	85	87	3.7	4.2	4400
668	515488	5.1	54	88	3.7	4.2	3800
669	517878	5.1	78	78	3.7	4.2	4328
670	517882	5.1	78	82	3.7	4.2	5400
671	521740	5.2	17	40	3.7	4.2	330
672	522438	5.2	24	38	3.7	4.2	480
673	522890	5.2	28	90	3.7	4.2	1600
674	523048	5.2	30	48	3.7	4.2	850
675	523058	5.2	30	58	3.7	4.2	950
676	523275	5.2	32	75	3.7	4.2	3000
677	523450	5.4	34	52	3.7	4.2	1000
678	524770	5.2	47	71	3.7	4.2	2000
679	525178	5.2	51	79	3.7	4.2	2600
680	525280	5.2	52	80	3.7	4.2	2800
681	525297	5.2	52	98	3.7	4.2	3000
682	525480	5.2	54	80	3.7	4.2	2800
683	525892	5.2	57	92	3.7	4.2	3500
684	525972	5.2	59	72	3.7	4.2	3290
685	525977	5.2	59	77	3.7	4.2	4000
686	526098	5	60	99	3.7	4.2	3000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
687	526371	5.2	63	71	3.7	4.2	3400
688	526797	5.2	67	98	3.7	4.2	3900
689	526897	5.2	68	98	3.7	4.2	4300
690	528777	5.2	87	77	3.7	4.2	4400
691	531118	5.3	11	18	3.7	4.2	55
692	532041	5.3	20	41	3.7	4.2	450
693	532451	5.3	24	51	3.7	4.2	630
694	534258	5.3	42	58	3.7	4.2	1820
695	534553	5.3	45	53	3.7	4.2	1650
696	534860	5.3	48	60	3.7	4.2	2000
697	535083	5.3	50	83	3.7	4.2	2400
698	535892	5.3	58	92	3.7	4.2	4000
699	536461	5.3	64	61	3.7	4.2	3110
700	536581	5.3	65	81	3.7	4.2	4000
701	541630	5.4	16	30	3.7	4.2	160
702	542235	5.4	22	35	3.7	4.2	380
703	543450	5.4	34	50	3.7	4.2	1000
704	544048	5.4	40	48	3.7	4.2	1150
705	544597	5.4	45	97	3.7	4.2	3000
706	544764	5.4	47	64	3.7	4.2	2020
707	545073	5.4	50	73	3.7	4.2	3000
708	545575	5.4	55	75	3.7	4.2	2900
709	545668	5.4	56	68	3.7	4.2	2550
710	545866	5.4	58	66	3.7	4.2	2500
711	545876	5.4	58	76	3.7	4.2	4020
712	546090	5.4	60	80	3.7	4.2	4200
713	546095	5.5	60	94	3.7	4.2	3700
714	548094	5.4	80	94	3.7	4.2	5800
715	551055	5.5	10	55	3.7	4.2	350
716	551116	5.5	11	16	3.7	4.2	50
717	551140	5.5	11	40	3.7	4.2	195
718	551218	5.5	12	18	3.7	4.2	65
719	551235	5.5	12	35	3.7	4.2	180
720	551240	5.5	12	40	3.7	4.2	200
721	551335	5.5	13	35	3.7	4.2	200
722	551460	5.5	14	60	3.7	4.2	400
723	551520	5.5	15	20	3.7	4.2	130
724	551629	5.5	16	29	3.7	4.2	160
725	551745	5.5	17	45	3.7	4.2	430
726	551837	5.5	18	37	3.7	4.2	320
727	551839	5.5	18	39	3.7	4.2	340
728	552020	5.5	20	20	3.7	4.2	150
729	552025	5.5	20	25	3.7	4.2	240

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
730	552035	5.5	20	35	3.7	4.2	370
731	552225	5.5	22	25	3.7	4.2	450
732	552230	5.5	22	30	3.7	4.2	300
733	552239	5.5	22	39	3.7	4.2	460
734	552240	5.5	22	40	3.7	4.2	390
735	552338	5.5	23	38	3.7	4.2	500
736	552370	5.5	23	70	3.7	4.2	900
737	552431	5.5	24	31	3.7	4.2	430
738	552436	5.5	24	37	3.7	4.2	470
739	552525	5.5	25	25	3.7	4.2	360
740	552540	5.5	25	40	3.7	4.2	540
741	552636	5.5	26	36	3.7	4.2	530
742	552834	5.5	28	34	3.7	4.2	360
743	552844	5.5	28	44	3.7	4.2	440
744	552855	5.7	28	54	3.7	4.2	900
745	553040	5.5	30	40	3.7	4.2	500
746	553559	5.5	35	59	3.7	4.2	1300
747	553565	5.5	35	65	3.7	4.2	1000
748	553578	5.5	35	78	3.7	4.2	1600
749	553640	5.5	36	40	3.7	4.2	850
750	554069	5.5	40	71	3.7	4.2	1800
751	554168	5.5	41	68	3.7	4.2	1800
752	554242	5.5	42	42	3.7	4.2	1100
753	554350	5.7	43	49	3.7	4.2	1300
754	554464	5.5	44	64	3.7	4.2	1600
755	554473	5.5	44	73	3.7	4.2	2200
756	554475	5.5	44	75	3.7	4.2	2000
757	554855	5.5	48	55	3.7	4.2	1650
758	554875	5.5	48	75	3.7	4.2	2400
759	554882	5.5	48	82	3.7	4.2	2500
760	554978	5.5	49	79	3.7	4.2	2600
761	554992	5.5	49	92	3.7	4.2	3000
762	555052	5.5	50	52	3.7	4.2	1600
763	555060	5.5	55	60	3.7	4.2	1800
764	555066	5.5	50	66	3.7	4.2	2000
765	555070	5.5	50	70	3.7	4.2	2200
766	555077	5.5	50	77	3.7	4.2	2500
767	555083	5.5	50	83	3.7	4.2	2500
768	555097	5.5	50	98	3.7	4.2	3050
769	555164	5.5	51	65	3.7	4.2	2000
770	555165	5.5	51	65	3.7	4.2	2000
771	555456	5.5	54	56	3.7	4.2	2500
772	555888	5.5	58	88	3.7	4.2	3500

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
773	555893	5.5	58	93	3.7	4.2	5000
774	556080	5.5	60	80	3.7	4.2	3250
775	556085	5.5	60	85	3.7	4.2	3500
776	556095	5.5	60	95	3.7	4.2	4000
777	556166	5.5	61	67	3.7	4.2	2500
778	556787	5.5	67	87	3.7	4.2	4500
779	556790	5.5	67	90	3.7	4.2	4000
780	561842	5.6	18	42	3.7	4.2	400
781	562039	5.6	20	39	3.7	4.2	420
782	562225	5.6	22	25	3.7	4.2	350
783	562359	5.6	23	59	3.7	4.2	830
784	562526	5.6	25	26	3.7	4.2	350
785	562528	5.6	25	28	3.7	4.2	410
786	562728	5.6	27	28	3.7	4.2	480
787	562737	5.6	27	37	3.7	4.2	500
788	563442	5.6	34	42	3.7	4.2	750
789	564047	5.6	40	47	3.7	4.2	1150
790	564551	5.6	45	51	3.7	4.2	1400
791	565573	5.6	55	73	3.7	4.2	2800
792	573236	5.7	32	36	3.7	4.2	600
793	573436	5.75	34	36	3.7	4.2	630
794	573450	5.7	34	50	3.7	4.2	980
795	573496	5.7	34	96	3.7	4.2	2200
796	574058	5.5	39	57	3.7	4.2	1200
797	574948	5.7	49	48	3.7	4.2	2020
798	575577	5.7	55	77	3.7	4.2	4400
799	575995	5.7	59	95	3.7	4.2	4800
800	576165	5.7	61	65	3.7	4.2	2800
801	576697	5.7	66	97	3.7	4.2	5000
802	581055	5.8	10	55	3.7	4.2	300
803	581113	5.8	11	13	3.7	4.2	50
804	581320	5.8	13	20	3.7	4.2	110
805	581837	5.8	18	37	3.7	4.2	320
806	581838	5.8	18	38	3.7	4.2	320
807	582052	5.8	20	52	3.7	4.2	600
808	582230	5.8	22	30	3.7	4.2	350
809	582525	5.8	25	25	3.7	4.2	370
810	582527	5.8	25	27	3.7	4.2	400
811	582529	5.8	25	29	3.7	4.2	300
812	582535	5.8	25	35	3.7	4.2	470
813	582540	5.9	25	40.8	3.7	4.2	560
814	582727	5.8	27	27	3.7	4.2	360
815	582728	5.8	27	28	3.7	4.2	400

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
816	582828	5.8	28	28	3.7	4.2	530
817	582835	5.8	28	35	3.7	4.2	531
818	583445	5.9	34	44	3.7	4.2	900
819	583460	5.8	34	60	3.7	4.2	1500
820	583545	5.8	35	45	3.7	4.2	950
821	583758	5.8	37	59	3.7	4.2	1400
822	583970	5.8	39	70	3.7	4.2	2140
823	585075	5.8	50	75	3.7	4.2	2700
824	585165	5.8	51	65	3.7	4.2	2600
825	585396	5.8	53	96	3.7	4.2	3700
826	585488	5.8	54	88	3.7	4.2	4000
827	585675	5.8	56	75	3.7	4.2	2900
828	585870	5.8	58	70	3.7	4.2	2800
829	586088	5.8	60	88	3.7	4.2	4000
830	588088	5.8	80	88	3.7	4.2	4300
831	588157	5.8	81	57	3.7	4.2	3500
832	588953	5.8	89	53	3.7	4.2	3500
833	593687	5.9	36	87	3.7	4.2	2770
834	594040	6	40	40	3.7	4.2	1000
835	594568	5.9	45	68	3.7	4.2	1800
836	595370	5.9	53	70	3.7	4.2	3200
837	595490	5.9	54	90	3.7	4.2	4000
838	596766	5.9	67	66	3.7	4.2	4010
839	600945	6	9	45	3.7	4.2	210
840	601120	6	11	20	3.7	4.2	95
841	601127	5.6	11	27	3.7	4.2	85
842	601145	6	11	45	3.7	4.2	250
843	601220	6	12	20	3.7	4.2	95
844	601228	6	12	28	3.7	4.2	200
845	601230	6	12	30	3.7	4.2	170
846	601235	6	12	35	3.7	4.2	200
847	601243	6	12	43	3.7	4.2	250
848	601245	6	12	46	3.7	4.2	270
849	601332	6	13	32	3.7	4.2	170
850	601333	6	13	33	3.7	4.2	180
851	601337	6	13	37	3.7	4.2	200
852	601525	6	15	25	3.7	4.2	170
853	601625	6	16	25	3.7	4.2	200
854	601723	6	17	23	3.7	4.2	100
855	601730	6	17	30	3.7	4.2	270
856	601735	6	17	35	3.7	4.2	320
857	601830	6	18	31	3.7	4.2	300
858	601835	6	18	35	3.7	4.2	350

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
859	602028	6	20	28	3.7	4.2	300
860	602030	6	20	31	3.7	4.2	300
861	602035	6	20	35	3.7	4.2	380
862	602040	6	20	40	3.7	4.2	400
863	602043	6	20	43	3.7	4.2	500
864	602045	6	20	44	3.7	4.2	450
865	602046	6	20	46	3.7	4.2	500
866	602079	6	20	79	3.7	4.2	950
867	602158	6	21	58	3.7	4.2	750
868	602225	6	22	25	3.7	4.2	300
869	602227	6	22	27	3.7	4.2	360
870	602235	6	22	35	3.7	4.2	400
871	602238	6	22	38	3.7	4.2	500
872	602248	6	22	48	3.7	4.2	600
873	602272	6	22	72	3.7	4.2	1000
874	602525	6	25	25	3.7	4.2	400
875	602530	6	25	30	3.7	4.2	420
876	602533	6	25	33	3.7	4.2	450
877	602534	6.3	25	34	3.7	4.2	480
878	602535	6	25	35	3.7	4.2	500
879	602540	6	25	40	3.7	4.2	550
880	602543	6	25	43	3.7	4.2	650
881	602548	6	25	48	3.7	4.2	500
882	602558	6	25	58	3.7	4.2	1000
883	602624	6	26	24	3.7	4.2	400
884	602725	6	27	25	3.7	4.2	300
885	602730	6	27	30	3.7	4.2	400
886	602830	6	28	30	3.7	4.2	500
887	603027	6	30	27	3.7	4.2	500
888	603030	6	30	30	3.7	4.2	600
889	603035	6	30	35	3.7	4.2	650
890	603040	6	30	40	3.7	4.2	800
891	603048	6	30	48	3.7	4.2	850
892	603131	6	31	31	3.7	4.2	680
893	603346	6	33	46	3.7	4.2	1050
894	603381	6	33	81	3.7	4.2	2000
895	603436	6	34	36	3.7	4.2	700
896	603440	6	34	41	3.7	4.2	800
897	603443	6	34	43	3.7	4.2	850
898	603450	6	34	50	3.7	4.2	1200
899	603544	6	35	44	3.7	4.2	1000
900	603545	6	35	45	3.7	4.2	1000
901	603570	6	35	70	3.7	4.2	1500

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
902	603650	6	36	50	3.7	4.2	1150
903	603679	6	36	80	3.7	4.2	2000
904	603839	6.2	38	39	3.7	4.2	850
905	603856	6	38	56	3.7	4.2	1500
906	603943	6	39	43	3.7	4.2	1250
907	604040	6	40	40	3.7	4.2	1050
908	604050	6	40	50	3.7	4.2	1400
909	604058	6	40	58	3.7	4.2	1600
910	604060	6	40	60	3.7	4.2	1530
911	604255	6	42	55	3.7	4.2	1500
912	604260	6	42	60	3.7	4.2	1700
913	604266	6	42	66	3.7	4.2	2000
914	604384	6	43	84	3.7	4.2	2300
915	604680	6	46	80	3.7	4.2	3000
916	604997	6	49	97	3.7	4.2	4000
917	605063	6	50	63	3.7	4.2	2250
918	605083	6	50	85	3.7	4.2	3000
919	605093	6	50	93	3.7	4.2	3250
920	605490	6	54	90	3.7	4.2	4600
921	605585	6	55	85	3.7	4.2	3500
922	605698	6	56	98	3.7	4.2	4400
923	605870	6	58	70	3.7	4.2	2900
924	605968	6	59	68	3.7	4.2	2800
925	606085	6	60	85	3.7	4.2	4000
926	606090	6	60	90	3.7	4.2	4000
927	606095	6	60	95	3.7	4.2	4500
928	606268	6	62	68	3.7	4.2	2850
929	613442	6.1	34	42	3.7	4.2	800
930	613750	6.1	37	50	3.7	4.2	1350
931	613759	6.1	37	59	3.7	4.2	1980
932	613942	6.1	39	42	3.7	4.2	1000
933	614041	6.1	40	41	3.7	4.2	1050
934	615556	6.1	55	56	3.7	4.2	2670
935	616588	6.1	65	88	3.7	4.2	5000
936	616789	6.1	67	89	3.7	4.2	3950
937	621860	6.2	18	60	3.7	4.2	600
938	621948	6.2	19	48	3.7	4.2	550
939	622425	6.2	24	25	3.7	4.2	370
940	622533	6.2	25	33	3.7	4.2	530
941	622632	6.2	26	32	3.7	4.2	600
942	623052	6.2	30	52	3.7	4.2	1000
943	623288	6.2	32	88	3.7	4.2	2100
944	624039	6.2	40	39	3.7	4.2	950

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
945	624064	6.2	40	64	3.7	4.2	1700
946	624249	6.2	42	49	3.7	4.2	1500
947	624270	6.2	42	70	3.7	4.2	2000
948	625384	6.2	53	85	3.7	4.2	3000
949	625385	6.2	53	85	3.7	4.2	3350
950	625797	6.2	57	97	3.7	4.2	5000
951	626090	6.2	60	90	3.7	4.2	5000
952	626196	6.2	61	96	3.7	4.2	5000
953	626699	6.3	66	100	3.7	4.2	5000
954	626798	6.3	67	98	3.7	4.2	4900
955	632039	6.3	20	39	3.7	4.2	400
956	632558	6.3	25	58	3.7	4.2	1000
957	632570	6.3	25	70	3.7	4.2	1200
958	632635	6.3	26	35	3.7	4.2	600
959	633960	6.3	39	60	3.7	4.2	1800
960	634466	6.3	44	68	3.7	4.2	2000
961	635253	6.3	52	51	3.7	4.2	2000
962	635578	6.3	55	79	3.7	4.2	3200
963	636083	6.3	60	83	3.7	4.2	4000
964	637080	6.3	70	80	3.7	4.2	4500
965	643030	6.4	30	30	3.7	4.2	580
966	643039	6.4	30	39	3.7	4.2	630
967	643281	6.4	32	81	3.7	4.2	2000
968	643333	6.4	33	33	3.7	4.2	500
969	643343	6.4	33	43	3.7	4.2	970
970	644063	6.4	40	63	3.7	4.2	1800
971	644468	6.4	44	67	3.7	4.2	2000
972	644690	6.4	46	90	3.7	4.2	4020
973	646064	6.4	60	64	3.7	4.2	3330
974	646168	6.4	61	67	3.7	4.2	3200
975	647363	6.4	73	63	3.7	4.2	5100
976	651022	6.5	10	22	3.7	4.2	95
977	651313	6.5	13	13	3.7	4.2	90
978	651417	6.5	14	17	3.7	4.2	90
979	651420	6.5	14	20	3.7	4.2	75
980	651429	6.5	14	29	3.7	4.2	220
981	651530	6.5	15	30	3.7	4.2	280
982	651640	6.5	16	40	3.7	4.2	380
983	651646	6.5	16	46	3.7	4.2	450
984	651723	6.5	17	23	3.7	4.2	150
985	651730	6.5	17	30	3.7	4.2	280
986	652023	6.5	20	23	3.7	4.2	200
987	652025	6.5	20	25	3.7	4.2	200
988	652035	6.5	20	35	3.7	4.2	500

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
989	652046	6.5	20	46	3.7	4.2	650
990	652345	6.5	23	45	3.7	4.2	600
991	652525	6.5	25	25	3.7	4.2	450
992	652528	6.5	25	28	3.7	4.2	400
993	652545	6.5	25	45	3.7	4.2	700
994	652561	6.5	25	61	3.7	4.2	1000
995	652633	6.6	27	33	3.7	4.2	500
996	653220	6.5	32	20	3.7	4.2	350
997	653436	6.4	34	36	3.7	4.2	750
998	653448	6.5	34	48	3.7	4.2	1200
999	653450	6.5	34	50	3.7	4.2	1200
1000	653570	6.5	35	70	3.7	4.2	1650
1001	653950	6.5	39	50	3.7	4.2	1400
1002	654050	6.5	40	50	3.7	4.2	1500
1003	654060	6.5	41	61	3.7	4.2	1950
1004	654190	6.5	41	90	3.7	4.2	4000
1005	654379	6.5	43	80	3.7	4.2	2500
1006	654466	6.5	44	66	3.7	4.2	2100
1007	654482	6.5	44	82	3.7	4.2	3000
1008	654546	6.5	45	46	3.7	4.2	1820
1009	654583	6.5	45	83	3.7	4.2	3000
1010	654671	6.5	46	71	3.7	4.2	3000
1011	655066	6.5	50	67	3.7	4.2	2400
1012	655085	6.5	50	85	3.7	4.2	3000
1013	655195	6.5	51	95	3.7	4.2	4250
1014	655262	6.5	52	64	3.7	4.2	2300
1015	655368	6.5	53	68	3.7	4.2	3300
1016	655456	6.6	54	57	3.7	4.2	2300
1017	655595	6.5	55	95	3.7	4.2	5000
1018	655781	6.5	57	81	3.7	4.2	3750
1019	655995	6.5	59	95	3.7	4.2	5000
1020	656090	6.5	60	91	3.7	4.2	4300
1021	656168	6.5	61	68	3.7	4.2	3000
1022	656580	6.5	65	80	3.7	4.2	4650
1023	656678	6.4	66	78	3.7	4.2	4000
1024	661535	6.6	15	35	3.7	4.2	350
1025	664382	6.6	43	82	3.7	4.2	3470
1026	664940	6.6	49	40	3.7	4.2	1800
1027	671323	6.7	13	23	3.7	4.2	150
1028	672043	6.7	20	43	3.7	4.2	450
1029	672045	6.7	20	45	3.7	4.2	600
1030	672228	6.7	22	28	3.7	4.2	350
1031	673436	6.9	34	37	3.7	4.2	850
1032	682023	6.8	20	23	3.7	4.2	300

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1033	682052	6.8	20	52	3.7	4.2	640
1034	682323	6.8	23	23	3.7	4.2	280
1035	682624	6.8	26	24	3.7	4.2	275
1036	682634	6.8	26	24	3.7	4.2	560
1037	682732	6.8	27	32	3.7	4.2	600
1038	683040	6.8	30	40	3.7	4.2	800
1039	683086	6.8	30	86	3.7	4.2	2000
1040	684063	6.6	40	62	3.7	4.2	1950
1041	686055	6.8	60	55	3.7	4.2	2650
1042	686266	6.8	62	66	3.7	4.2	3900
1043	693292	6.9	32	92	3.7	4.2	2500
1044	693938	6.9	39	38	3.7	4.2	1050
1045	695465	6.9	54	65	3.7	4.2	2900
1046	695498	6.9	54	98	3.7	4.2	5000
1047	695670	6.9	56	70	3.7	4.2	4000
1048	695898	6.9	58	98	3.7	4.2	5000
1049	696673	6.9	66	73	3.7	4.2	5000
1050	700916	7	9	16	3.7	4.2	50
1051	701322	7	13	22	3.7	4.2	110
1052	701417	7	14	17	3.7	4.2	100
1053	701527	7	15	27	3.7	4.2	150
1054	701528	7	15	28	3.7	4.2	150
1055	701535	7	15	35	3.7	4.2	300
1056	701658	7	16	58	3.7	4.2	730
1057	701738	7	17	38	3.7	4.2	420
1058	701819	7	18	19	3.7	4.2	180
1059	701832	7	18	32	3.7	4.2	380
1060	701834	7	18	34	3.7	4.2	350
1061	701920	7	19	20	3.7	4.2	230
1062	701970	7	19	70	3.7	4.2	900
1063	702020	7	20	20	3.7	4.2	190
1064	702025	7	20	25	3.7	4.2	280
1065	702030	7	20	30	3.7	4.2	400
1066	702035	7	20	35	3.7	4.2	460
1067	702040	7	20	41	3.7	4.2	500
1068	702060	7	20	60	3.7	4.2	850
1069	702070	7	20	70	3.7	4.2	950
1070	702248	7	22	48	3.7	4.2	700
1071	702440	7	24	40	3.7	4.2	600
1072	702480	7	24	80	3.7	4.2	1200
1073	702525	7	25	25	3.7	4.2	350
1074	702662	7	26	62	3.7	4.2	1050
1075	702727	7	27	27	3.7	4.2	380
1076	702728	7	27	28	3.7	4.2	500

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1077	702730	7	27	30	3.7	4.2	500
1078	702737	7	27	35	3.7	4.2	570
1079	703035	7	30	35	3.7	4.2	650
1080	703043	7	30	43	3.7	4.2	800
1081	703048	6.9	30	48	3.7	4.2	1000
1082	703331	7	33	31	3.7	4.2	800
1083	703443	7	34	43	3.7	4.2	1000
1084	703448	7	34	48	3.7	4.2	850
1085	703450	7	34	50	3.7	4.2	1250
1086	703482	7	34	82	3.7	4.2	2000
1087	703679	7	36	79	3.7	4.2	2300
1088	704040	7	40	41	3.7	4.2	1200
1089	704060	7	40	60	3.7	4.2	1950
1090	704250	7	42	50	3.7	4.2	1500
1091	704848	7	48	48	3.7	4.2	1900
1092	704864	7	48	64	3.7	4.2	2500
1093	705065	7	50	65	3.7	4.2	2700
1094	705456	7	54	56	3.7	4.2	2500
1095	705465	7	54	65	3.7	4.2	2800
1096	705759	7	57	60	3.7	4.2	2950
1097	705891	7	58	92	3.7	4.2	4700
1098	705897	7	58	98	3.7	4.2	5000
1099	706090	7	60	90	3.7	4.2	5000
1100	706095	7	60	95	3.7	4.2	4670
1101	706390	7	63	90	3.7	4.2	5000
1102	706875	6.8	68	76	3.7	4.2	4100
1103	707580	7	75	80	3.7	4.2	4800
1104	712154	7.1	21	54	3.7	4.2	1150
1105	722226	7.2	22	26	3.7	4.2	380
1106	722570	7.2	25	69	3.7	4.2	1350
1107	723852	7.2	37	52	3.7	4.2	1400
1108	724257	7.2	42	57	3.7	4.2	2000
1109	724559	7.2	45	59	3.7	4.2	2250
1110	725260	7.2	52	60	3.7	4.2	3000
1111	725555	7.2	55	55	3.7	4.2	2500
1112	725888	7.35	58	89	3.7	4.2	5000
1113	726367	7.2	63	67	3.7	4.2	3740
1114	733068	7.3	30	68	3.7	4.2	2300
1115	733875	7.3	38	75	3.7	4.2	3000
1116	734083	7.3	40	83	3.7	4.2	3000
1117	735867	7.3	58	67	3.7	4.2	5000
1118	741956	7.4	19	56	3.7	4.2	660
1119	743065	7.4	30	65	3.7	4.2	1600
1120	751520	7.5	15	20	3.7	4.2	150

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1121	751635	7	16	35	3.7	4.2	380
1122	751720	7.5	17	20	3.7	4.2	150
1123	751818	7.5	18	18	3.7	4.2	210
1124	751860	7.5	18	61	3.7	4.2	720
1125	751878	7.5	18	80	3.7	4.2	1000
1126	752022	7.5	20	22	3.7	4.2	200
1127	752025	7.5	20	25	3.7	4.2	200
1128	752030	7.5	20	30	3.7	4.2	300
1129	752035	7.5	20	35	3.7	4.2	500
1130	752235	7.5	22	35	3.7	4.2	570
1131	752443	7.5	24	43	3.7	4.2	650
1132	752535	7.5	25	35	3.7	4.2	500
1133	753046	7.4	30	47	3.7	4.2	1000
1134	753048	7.5	30	49	3.7	4.2	1100
1135	753150	7.7	31	50	3.7	4.2	1350
1136	753636	7.5	36	36	3.7	4.2	1000
1137	754152	7.4	41	52	3.7	4.2	1800
1138	754270	7.5	42	70	3.7	4.2	2500
1139	754499	7.5	44	99	3.7	4.2	3950
1140	754669	7.5	46	68	3.7	4.2	2700
1141	754776	7.5	47	74	3.7	4.2	3000
1142	755068	7.5	50	68	3.7	4.2	3000
1143	755465	7.5	54	65	3.7	4.2	3000
1144	755585	7.5	55	85	3.7	4.2	4000
1145	755595	7.5	55	95	3.7	4.2	4800
1146	755870	7.5	58	70	3.7	4.2	4000
1147	756284	7.5	62	84	3.7	4.2	5600
1148	763440	7.6	34	40	3.7	4.2	1000
1149	763688	7.6	36	88	3.7	4.2	2950
1150	766569	7.6	65	69	3.7	4.2	4200
1151	773436	7.7	34	36	3.7	4.2	850
1152	774152	7.7	41	52	3.7	4.2	1800
1153	775075	7.7	50	75	3.7	4.2	3830
1154	775767	7.7	57	67	3.7	4.2	3600
1155	782632	7.8	26	32	3.7	4.2	720
1156	783285	7.8	32	85	3.7	4.2	2000
1157	783442	7.8	34	42	3.7	4.2	1150
1158	783448	7.8	34	48	3.7	4.2	1300
1159	783764	7.8	37	64	3.7	4.2	2100
1160	783966	7.8	39	67	3.7	4.2	2450
1161	784356	7.8	43	56	3.7	4.2	2400
1162	784678	7.8	46	78	3.7	4.2	3000
1163	785488	7.8	54	88	3.7	4.2	5100
1164	785588	7.8	55	88	3.7	4.2	4600

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1165	786280	7.8	62	80	3.7	4.2	5000
1166	786379	7.8	63	79	3.7	4.2	5000
1167	794060	7.9	40	60	3.7	4.2	2250
1168	794248	7.9	42	48	3.7	4.2	1900
1169	795051	7.9	50	51	3.7	4.2	3020
1170	795078	7.9	50	78	3.7	4.2	3500
1171	801320	8	13	20	3.7	4.2	150
1172	801345	8	13	45	3.7	4.2	350
1173	801414	8	14	14	3.7	4.2	100
1174	801530	8	15	30	3.7	4.2	270
1175	801535	8	15	35	3.7	4.2	450
1176	801549	8	15	48	3.7	4.2	500
1177	801648	8	16	48	3.7	4.2	550
1178	801719	8	17	19	3.7	4.2	100
1179	801723	8	17	23	3.7	4.2	210
1180	801730	8	17	30	3.7	4.2	300
1181	801742	8.2	18	43	3.7	4.2	560
1182	801819	8	18	19	3.7	4.2	150
1183	801843	8	18	43	3.7	4.2	650
1184	801921	8	19	21	3.7	4.2	280
1185	801990	8	19	90	3.7	4.2	2000
1186	802025	8	20	25	3.7	4.2	220
1187	802030	8	20	30	3.7	4.2	430
1188	802035	8	20	35	3.7	4.2	420
1189	802060	8	20	58	3.7	4.2	1100
1190	802219	8	22	19	3.7	4.2	300
1191	802234	8	22	34	3.7	4.2	600
1192	802235	8	22	35	3.7	4.2	400
1193	802265	8	22	65	3.7	4.2	1100
1194	802535	8	25	35	3.7	4.2	650
1195	802540	8	25	40	3.7	4.2	600
1196	802548	8.2	25	48	3.7	4.2	900
1197	802648	8.1	26	49	3.7	4.2	1000
1198	802660	8	26	62	3.7	4.2	1250
1199	802830	8	28	30	3.7	4.2	700
1200	802950	8	29	50	3.7	4.2	1300
1201	803030	8	30	30	3.7	4.2	650
1202	803035	8	30	35	3.7	4.2	850
1203	803038	8	30	38	3.7	4.2	1000
1204	803040	8	30	40	3.7	4.2	800
1205	803048	8	30	48	3.7	4.2	1200
1206	803057	8	30	58	3.7	4.2	1500
1207	803070	8	30	70	3.7	4.2	2000
1208	803132	8.2	31	32	3.7	4.2	700

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1209	803160	8	31	60	3.7	4.2	1800
1210	803434	8	34	34	3.7	4.2	1000
1211	803436	8	34	36	3.7	4.2	1000
1212	803442	8	34	42	3.7	4.2	1200
1213	803447	8	34	48	3.7	4.2	1400
1214	803448	8	34	48	3.7	4.2	1500
1215	803450	8	34	50	3.7	4.2	1600
1216	803452	8	34	51	3.7	4.2	1600
1217	803545	8	35	45	3.7	4.2	1400
1218	803564	8	35	63	3.7	4.2	2000
1219	803567	8	35	67	3.7	4.2	2000
1220	803640	8	36	40	3.7	4.2	1250
1221	803652	8	36	52	3.7	4.2	1800
1222	803750	8	37	50	3.7	4.2	1200
1223	804050	8	40	50	3.7	4.2	1800
1224	804060	8	40	60	3.7	4.2	2000
1225	804080	8	40	76	3.7	4.2	3000
1226	804368	8	43	68	3.7	4.2	2800
1227	804770	8	47	71	3.7	4.2	3000
1228	805050	8	50	50	3.7	4.2	2200
1229	805066	8	50	67	3.7	4.2	2800
1230	805068	8	50	68	3.7	4.2	3800
1231	805187	8	51	87	3.7	4.2	4000
1232	805262	8	52	60	3.7	4.2	3000
1233	805290	8	52	90	3.7	4.2	4450
1234	805781	8	57	81	3.7	4.2	5000
1235	805975	8	59	75	3.7	4.2	4000
1236	806090	8	60	90	3.7	4.2	5000
1237	806095	8	60	95	3.7	4.2	7000
1238	806688	8	66	87	3.7	4.2	5900
1239	814695	8.1	46	95	3.7	4.2	4955
1240	816488	8.1	64	88	3.7	4.2	6000
1241	822464	8.2	24	64	3.7	4.2	1500
1242	822465	8.2	24	65	3.7	4.2	1500
1243	822757	8.2	27	57	3.7	4.2	1300
1244	822842	8.2	28	42	3.7	4.2	1050
1245	822962	8.2	29	62	3.7	4.2	1500
1246	823282	8.2	32	82	3.7	4.2	2500
1247	823291	8.2	32	91	3.7	4.2	2800
1248	823450	8.2	34	50	3.7	4.2	1500
1249	824466	8.2	44	68	3.7	4.2	3020
1250	824468	8.3	44	68	3.7	4.2	3020
1251	824846	8.2	48	46	3.7	4.2	2850
1252	825058	8.2	50	58	3.7	4.2	2900

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1253	832042	8.3	20	41	3.7	4.2	600
1254	832230	8.3	22	30	3.7	4.2	450
1255	832530	8.3	25	30	3.7	4.2	600
1256	832832	8.3	28	32	3.7	4.2	650
1257	836090	8.3	60	90	3.7	4.2	5300
1258	836678	8.3	66	78	3.7	4.2	5000
1259	842777	8.4	27	77	3.7	4.2	2000
1260	843282	8.4	32	82	3.7	4.2	2800
1261	843771	8.4	37	71	3.7	4.2	3150
1262	851719	8.5	17	19	3.7	4.2	150
1263	851720	8.5	17	20	3.7	4.2	200
1264	851763	8.5	17	63	3.7	4.2	900
1265	851817	8.5	18	17	3.7	4.2	120
1266	851835	8.5	18	35	3.7	4.2	500
1267	852040	8.5	20	40	3.7	4.2	620
1268	852143	8.5	21	44	3.7	4.2	800
1269	852338	8.5	23	38	3.7	4.2	700
1270	852438	8.5	24	38	3.7	4.2	750
1271	852444	8.5	24	43	3.7	4.2	830
1272	852528	8.5	25	28	3.7	4.2	500
1273	852550	8.5	25	50	3.7	4.2	850
1274	852743	8.5	27	43	3.7	4.2	1000
1275	852745	8.5	26.6	45	3.7	4.2	1000
1276	853046	8.5	30	46	3.7	4.2	1200
1277	853440	8.5	34	40	3.7	4.2	1100
1278	853458	8.5	34	59	3.7	4.2	1950
1279	853564	8.5	35	64	3.7	4.2	2000
1280	853756	8.5	37	56	3.7	4.2	2300
1281	853894	8.5	38	94	3.7	4.2	3900
1282	853966	8.5	39	66	3.7	4.2	2500
1283	854050	8.5	40	50	3.7	4.2	2000
1284	854165	8.5	41	65	3.7	4.2	2500
1285	854259	8.5	42	59	3.7	4.2	2800
1286	855085	8.5	50	85	3.7	4.2	4050
1287	855590	8.5	55	90	3.7	4.2	6000
1288	855657	8.5	56	57	3.7	4.2	3920
1289	855786	8.5	57	86	3.7	4.2	5000
1290	855887	8.5	58	87	3.7	4.2	6100
1291	856386	8.5	63	86	3.7	4.2	6000
1292	858088	8.5	80	88	3.7	4.2	7000
1293	859089	8.5	90	89	3.7	4.2	8800
1294	862536	8.6	25	36	3.7	4.2	780
1295	864040	8.6	40	40	3.7	4.2	1170
1296	874058	8.7	40	58	3.7	4.2	2500

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1297	875475	8.7	54	75	3.7	4.2	5000
1298	883440	8.8	34	40	3.7	4.2	1150
1299	883450	8.8	34	52	3.7	4.2	1500
1300	883564	8.8	35	64	3.7	4.2	2000
1301	883866	8.8	38	66	3.7	4.2	2700
1302	884975	8.8	49	75	3.7	4.2	4000
1303	885069	8.8	50	69	3.7	4.2	4000
1304	895462	8.9	54	62	3.7	4.2	4000
1305	901837	9	18	37	3.7	4.2	520
1306	901838	9	18	38	3.7	4.2	580
1307	902019	9	20	19	3.7	4.2	230
1308	902030	9	20	30	3.7	4.2	500
1309	902035	9	20	35	3.7	4.2	600
1310	902040	9	20	40	3.7	4.2	700
1311	902042	9	20	42	3.7	4.2	400
1312	902120	9	21	20	3.7	4.2	160
1313	902228	9	22	28	3.7	4.2	500
1314	902250	9	22	49	3.7	4.2	900
1315	902253	9	22	53	3.7	4.2	1200
1316	902365	9	23	65	3.7	4.2	1500
1317	902535	9	25	35	3.7	4.2	740
1318	902540	9	25	40	3.7	4.2	1050
1319	902830	9	28	30	3.7	4.2	400
1320	903040	9	30	40	3.7	4.2	1000
1321	903250	9	32	49	3.7	4.2	1600
1322	903434	9	34	34	3.7	4.2	1050
1323	903440	9	34	40	3.7	4.2	1300
1324	903450	9	34	52	3.7	4.2	1600
1325	903566	9	35	67	3.7	4.2	2500
1326	903567	9	35	67	3.7	4.2	2600
1327	903629	9	36	29	3.7	4.2	1130
1328	903665	9	36	65	3.7	4.2	2400
1329	903759	9	37	59	3.7	4.2	2200
1330	903850	9	38	51	3.7	4.2	2000
1331	904040	9	40	40	3.7	4.2	1400
1332	904070	9	50	79	3.7	4.2	2800
1333	904360	9	43	60	3.7	4.2	3000
1334	904670	9	46	70	3.7	4.2	3800
1335	905054	9	50	53	3.7	4.2	3000
1336	905055	9	50	54	3.7	4.2	2800
1337	905060	9	50	60	3.7	4.2	3000
1338	905066	9	50	67	3.7	4.2	3500
1339	905087	9.1	50	87	3.7	4.2	5000
1340	905262	9	52	62	3.7	4.2	4400

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1341	905567	9	55	67	3.7	4.2	3800
1342	905593	9	55	93	3.7	4.2	6000
1343	905597	9	55	97	3.7	4.2	5400
1344	905975	9	59	75	3.7	4.2	5000
1345	906073	9	60	73	3.7	4.2	5000
1346	906667	9	66	67	3.7	4.2	4400
1347	914978	9.1	49	78	3.7	4.2	4600
1348	921942	9.2	18	42	3.7	4.2	600
1349	922364	9.2	23	64	3.7	4.2	1450
1350	922752	9.2	27	52	3.7	4.2	1400
1351	923774	9.2	37	75	3.7	4.2	2900
1352	924981	9.2	49	81	3.7	4.2	4500
1353	925167	9.2	51	67	3.7	4.2	4000
1354	932830	9.3	28	30	3.7	4.2	650
1355	934653	9.3	46	53	3.7	4.2	3000
1356	935782	9.3	57	82	3.7	4.2	5000
1357	946371	9.4	63	71	3.7	4.2	5300
1358	951617	9.5	16	17	3.7	4.2	120
1359	952232	9.5	22	32	3.7	4.2	600
1360	952240	9.5	22	40	3.7	4.2	800
1361	952260	9.5	22	60	3.7	4.2	1250
1362	952440	9.5	24	40	3.7	4.2	900
1363	952536	9.5	25	36	3.7	4.2	800
1364	952640	9.5	26	40	3.7	4.2	900
1365	952831	9.5	28	31	3.7	4.2	750
1366	953443	9.5	34	43	3.7	4.2	1450
1367	953462	9.5	34	63	3.7	4.2	2200
1368	953566	9.5	34	66	3.7	4.2	2700
1369	953960	9.5	39	60	3.7	4.2	2700
1370	954048	9.5	40	48	3.7	4.2	2200
1371	954070	9.5	40	70	3.7	4.2	3200
1372	954362	9.5	43	63	3.7	4.2	3000
1373	954364	9.5	43	64	3.7	4.2	2700
1374	954440	9.5	44	40	3.7	4.2	950
1375	954575	9.5	45	76	3.7	4.2	4000
1376	954870	9.5	48	71	3.7	4.2	3800
1377	954878	9.5	48	79	3.7	4.2	4000
1378	955151	9.5	51	51	3.7	4.2	2550
1379	955266	9.5	52	66	3.7	4.2	4000
1380	955896	9.5	58	96	3.7	4.2	8000
1381	963450	9.6	34	51	3.7	4.2	1750
1382	965866	9.6	58	66	3.7	4.2	5400
1383	966871	9.6	68	71	3.7	4.2	6000
1384	974548	9.7	45	46	3.7	4.2	2350

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1385	981642	9.8	16	42	3.7	4.2	720
1386	981830	9.8	18	30	3.7	4.2	500
1387	983232	9.8	32	33	3.7	4.2	1000
1388	983774	9.8	37	75	3.7	4.2	3300
1389	984050	9.8	40	51	3.7	4.2	2200
1390	985472	9.8	54	72	3.7	4.2	5000
1391	993760	9.9	37	60	3.7	4.2	3020
1392	994048	9.9	40	48	3.7	4.2	2000
1393	994240	9.9	42	40	3.7	4.2	2000
1394	995573	9.9	55	73	3.7	4.2	5000
1395	1055125	10	55	125	3.7	4.2	10000
1396	1058101	10	58	101	3.7	4.2	8000
1397	1058116	10	58	116	3.7	4.2	10000
1398	1059103	10	59	103	3.7	4.2	10000
1399	1060100	10	60	100	3.7	4.2	8000
1400	1070100	10	70	100	3.7	4.2	6000
1401	1165110	11	65	110	3.7	4.2	10000
1402	2093123	2	93	123	3.7	4.2	2600
1403	2367110	2.3	67	109	3.7	4.2	1250
1404	2458108	2.4	58	108	3.7	4.2	2200
1405	2468148	2.4	68	148	3.7	4.2	3250
1406	2512188	2.5	121	88	3.7	4.2	3728
1407	2559123	2.5	59	123	3.7	4.2	3120
1408	2563144	2.5	63	144	3.7	4.2	3300
1409	2563171	2.5	63	171	3.7	4.2	3500
1410	2587148	2.5	87	148	3.7	4.2	5000
1411	2595101	2.5	95	101	3.7	4.2	3610
1412	2599151	2.5	99	151	3.7	4.2	4500
1413	2650100	2.6	50	100	3.7	4.2	2100
1414	2661126	2.6	61	126	3.7	4.2	3330
1415	2677179	2.6	77	179	3.7	4.2	4800
1416	2691121	2.6	91	121	3.7	4.2	4200
1417	2695103	2.6	95	103	3.7	4.2	4000
1418	2711283	2.7	112	83	3.7	4.2	3400
1419	2763155	2.7	63	155	3.7	4.2	3500
1420	2763174	2.7	63	174	3.7	4.2	4100
1421	2767143	2.7	67	143	3.7	4.2	3600
1422	2767155	2.7	67	155	3.7	4.2	4100
1423	2768100	2.7	68	100	3.7	4.2	2100
1424	2772108	2.7	72	108	3.7	4.2	3200
1425	2773131	2.7	73	131	3.7	4.2	3700
1426	2774133	2.7	74	133	3.7	4.2	3250
1427	2774160	2.7	74	160	3.7	4.2	4000
1428	2797100	2.7	97	100	3.7	4.2	3300

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1429	2858172	2.8	58	172	3.7	4.2	3600
1430	2862143	2.8	62	142	3.7	4.2	3600
1431	2864147	2.8	64	147	3.7	4.2	3500
1432	2865113	2.8	65	113	3.7	4.2	2200
1433	2869141	2.8	69	141	3.7	4.2	3500
1434	2869178	2.8	69	178	3.7	4.2	5000
1435	2879106	2.8	79	106	3.7	4.2	3000
1436	2888188	2.8	88	188	3.7	4.2	6800
1437	2949119	2.9	49	119	3.7	4.2	2750
1438	2952110	2.9	52	110	3.7	4.2	2100
1439	2955127	2.9	55	127	3.7	4.2	3150
1440	2962132	2.9	62	132	3.7	4.2	3500
1441	2975109	2.9	75	109	3.7	4.2	3150
1442	2980159	2.9	80	159	3.7	4.2	4670
1443	2982111	2.9	82	111	3.7	4.2	4170
1444	2985157	2.9	85	157	3.7	4.2	5000
1445	2987150	2.9	87	150	3.7	4.2	4600
1446	3062114	3	62	114	3.7	4.2	3200
1447	3062118	3	62	118	3.7	4.2	3420
1448	3070100	3	70	110	3.7	4.2	2400
1449	3070105	3	70	105	3.7	4.2	3000
1450	3072106	3	72	106	3.7	4.2	3000
1451	3076148	3	76	148	3.7	4.2	4800
1452	3077149	3	77	149	3.7	4.2	4640
1453	3085160	3	85	160	3.7	4.2	5000
1454	3087100	3	89	100	3.7	4.2	3450
1455	3095184	3	95	184	3.7	4.2	5600
1456	3110686	3.1	106	86	3.7	4.2	3790
1457	3149115	3.1	49	115	3.7	4.2	2550
1458	3248150	3.2	48	150	3.7	4.2	2500
1459	3258154	3.2	58	154	3.7	4.2	3750
1460	3259162	3.2	59	162	3.7	4.2	4200
1461	3264175	3.2	64	175	3.7	4.2	5000
1462	3270105	3.2	70	105	3.7	4.2	3000
1463	3282138	3.2	82	138	3.7	4.2	4440
1464	3348110	3.3	48	110	3.7	4.2	2500
1465	3349119	3.3	49	119	3.7	4.2	3000
1466	3350154	3.3	50	154	3.7	4.2	3360
1467	3373158	3.3	73	158	3.7	4.2	4800
1468	3374179	3.3	74	179	3.7	4.2	5600
1469	3380107	3.3	80	107	3.7	4.2	3530
1470	3446134	3.4	46	134	3.7	4.2	3155
1471	3449109	3.4	49	109	3.7	4.2	2930
1472	3450175	3.4	50	175	3.7	4.2	4000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1473	3457138	3.4	57	138	3.7	4.2	4300
1474	3460140	3.4	60	140	3.7	4.2	3200
1475	3461127	3.4	61	127	3.7	4.2	3200
1476	3464130	3.4	64	130	3.7	4.2	4370
1477	3480102	3.4	80	102	3.7	4.2	3600
1478	3549119	3.5	49	119	3.7	4.2	2920
1479	3560113	3.5	60	113	3.7	4.2	2750
1480	3566107	3.5	66	107	3.7	4.2	3650
1481	3567111	3.5	67	111	3.7	4.2	3600
1482	3570100	3.5	70	100	3.7	4.2	2700
1483	3570103	3.5	69	103	3.7	4.2	2900
1484	3570133	3.5	70	133	3.7	4.2	4330
1485	3570149	3.5	70	149	3.7	4.2	4000
1486	3572134	3.5	72	134	3.7	4.2	3300
1487	3574108	3.5	74	108	3.7	4.2	3100
1488	3574139	3.5	74	139	3.7	4.2	4800
1489	3580116	3.5	80	116	3.7	4.2	4000
1490	3645113	3.6	45	113	3.7	4.2	2840
1491	3648134	3.6	48	134	3.7	4.2	3000
1492	3655103	3.6	55	103	3.7	4.2	3200
1493	3660104	3.6	60	104	3.7	4.2	2800
1494	3667103	3.6	67	103	3.7	4.2	3600
1495	3677104	3.3	77	104	3.7	4.2	5240
1496	3677110	3.7	77	110	3.7	4.2	4350
1497	3678122	3.6	78	122	3.7	4.2	5520
1498	3699160	3.6	99	160	3.7	4.2	7900
1499	3710398	3.7	103	98	3.7	4.2	5000
1500	3759135	3.7	59	135	3.7	4.2	5200
1501	3766101	3.7	66	101	3.7	4.2	3350
1502	3766110	3.7	66	110	3.7	4.2	3600
1503	3766125	3.7	66	125	3.7	4.2	4000
1504	3772101	3.7	72	101	3.7	4.2	4430
1505	3782128	3.7	82	128	3.7	4.2	4200
1506	3852100	3.8	52	100	3.7	4.2	2400
1507	3863135	3.8	63	135	3.7	4.2	5120
1508	3864128	3.8	63	128	3.7	4.2	3500
1509	3864154	3.8	64	154	3.7	4.2	5000
1510	3865125	3.8	65	126	3.7	4.2	3800
1511	3870132	3.8	70	132	3.7	4.2	5000
1512	3872128	3.8	72	128	3.7	4.2	5150
1513	3954147	3.9	54	147	3.7	4.2	4300
1514	3977128	3.9	77	128	3.7	4.2	6200
1515	3980110	4	80	110	3.7	4.2	4150
1516	4037125	4	37	125	3.7	4.2	2200

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1517	4043110	4	43	110	3.7	4.2	3100
1518	4045135	4	45	135	3.7	4.2	2000
1519	4047123	4	47	123	3.7	4.2	3850
1520	4049104	4	49	104	3.7	4.2	3400
1521	4050142	4	50	142	3.7	4.2	4900
1522	4054100	4	54	100	3.7	4.2	3000
1523	4056130	4	56	130	3.7	4.2	4900
1524	4058145	4	58	145	3.7	4.2	4400
1525	4059134	4	59	134	3.7	4.2	4840
1526	4060113	4	59	114	3.7	4.2	3200
1527	4062131	4	62	131	3.7	4.2	4100
1528	4063134	4	63	134	3.7	4.2	4840
1529	4069124	4	69	124	3.7	4.2	4550
1530	4080102	4	80	102	3.7	4.2	4000
1531	4152105	4.1	52	105	3.7	4.2	3000
1532	4169107	4.1	69	107	3.7	4.2	3800
1533	4242112	4.2	42	112	3.7	4.2	3020
1534	4260123	4.2	60	123	3.7	4.2	4200
1535	4265184	4.2	65	184	3.7	4.2	6400
1536	4330100	4.3	30	101	3.7	4.2	1500
1537	4447122	4.4	47	122	3.7	4.2	3000
1538	4472115	4.4	72	115	3.7	4.2	4450
1539	4539122	4.5	39	122	3.7	4.2	2610
1540	4553101	4.5	53	101	3.7	4.2	3000
1541	4555101	4.5	55	101	3.7	4.2	3500
1542	4595130	4.5	95	130	3.7	4.2	7500
1543	4652109	4.6	52	109	3.7	4.2	4000
1544	4663118	4.6	63	118	3.7	4.2	5000
1545	4778128	4.7	78	128	3.7	4.2	5800
1546	4834100	4.8	34	100	3.7	4.2	2100
1547	4842125	4.8	43	125	3.7	4.2	3000
1548	4850103	4.8	50	103	3.7	4.2	4000
1549	4858101	4.8	58	101	3.7	4.2	4000
1550	4858102	4.8	58	102	3.7	4.2	5000
1551	4949118	4.9	49	118	3.7	4.2	4000
1552	4960123	4.9	60	123	3.7	4.2	5250
1553	5066150	5	66	150	3.7	4.2	4000
1554	5068108	5	68	108	3.7	4.2	5000
1555	5264120	5.2	64	118	3.7	4.2	4900
1556	5355106	5.3	55	106	3.7	4.2	2500
1557	5465110	5.4	65	110	3.7	4.2	5000
1558	5465124	5.4	65	124	3.7	4.2	6000
1559	5465125	5.4	65	125	3.7	4.2	5250
1560	5495130	5.4	95	130	3.7	4.2	9000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1561	5528115	5.5	28	115	3.7	4.2	1800
1562	5530100	5.5	30	99	3.7	4.2	1800
1563	5542125	5.5	42	125	3.7	4.2	2000
1564	5548106	5.5	48	106	3.7	4.2	4440
1565	5556136	5.5	56	136	3.7	4.2	5000
1566	5558110	5.5	58	110	3.7	4.2	4500
1567	5560110	5.5	60	110	3.7	4.2	4400
1568	5565125	5.5	65	124	3.7	4.2	5800
1569	5566121	5.5	66	121	3.7	4.2	6000
1570	5570125	5.5	70	125	3.7	4.2	6000
1571	5585158	5.5	85	158	3.7	4.2	10000
1572	5656102	5.6	56	102	3.7	4.2	4200
1573	5661101	5.6	61	101	3.7	4.2	5000
1574	5678123	5.6	78	123	3.7	4.2	5800
1575	5750100	5.7	50	100	3.7	4.2	3400
1576	5758102	5.7	58	102	3.7	4.2	5000
1577	5828115	5.8	28	115	3.7	4.2	2000
1578	5828136	5.8	28	136	3.7	4.2	2400
1579	5830118	5.8	30	118	3.7	4.2	2500
1580	5848113	5.8	48	113	3.7	4.2	3000
1581	5854133	5.8	54	133	3.7	4.2	5000
1582	5937136	5.9	37	136	3.7	4.2	3500
1583	5958102	5.9	58	102	3.7	4.2	5500
1584	5959111	5.9	59	111	3.7	4.2	4650
1585	6030100	6	30	100	3.7	4.2	2000
1586	6030113	6	30	113	3.7	4.2	2650
1587	6035135	6	35	135	3.7	4.2	3200
1588	6036120	6	36	120	3.7	4.2	2800
1589	6048145	6	48	146	3.7	4.2	5000
1590	6058110	6	58	110	3.7	4.2	5000
1591	6060110	6	60	110	3.7	4.2	5000
1592	6060135	6	60	135	3.7	4.2	6500
1593	6061105	6	61	105	3.7	4.2	5000
1594	6064103	6	64	103	3.7	4.2	5000
1595	6065113	6	65	113	3.7	4.2	6000
1596	6065156	6	65	156	3.7	4.2	8000
1597	6068102	6	68	102	3.7	4.2	5800
1598	6068116	6	67	116	3.7	4.2	6000
1599	6249135	6.2	49	135	3.7	4.2	5000
1600	6265110	6.2	65	110	3.7	4.2	6000
1601	6266150	6.2	66	150	3.7	4.2	6000
1602	6342120	6.3	42	118	3.7	4.2	3600
1603	6345134	6.3	45	134	3.7	4.2	4550
1604	6471111	6.4	71	111	3.7	4.2	6300

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1605	6536100	6.5	36	100	3.7	4.2	2000
1606	6542126	6.5	42	126	3.7	4.2	2500
1607	6551116	6.5	51	116	3.7	4.2	5000
1608	6558112	6.5	58	112	3.7	4.2	5400
1609	6560100	6.5	60	100	3.7	4.2	5000
1610	6561110	6.5	61	110	3.7	4.2	6000
1611	6566145	6.5	66	145	3.7	4.2	5500
1612	6658101	6.6	58	101	3.7	4.2	6000
1613	6687147	6.6	71	147	3.7	4.2	10000
1614	6870124	6.8	70	125	3.7	4.2	7700
1615	7035135	7	35	135	3.7	4.2	3600
1616	7036100	7	36	100	3.7	4.2	2500
1617	7058116	7	58	115	3.7	4.2	5600
1618	7060100	7	60	100	3.7	4.2	6000
1619	7078129	7	78	129	3.7	4.2	10000
1620	7265124	7.2	65	124	3.7	4.2	7800
1621	7528150	7.5	28	150	3.7	4.2	3000
1622	7565118	7.5	65	118	3.7	4.2	7500
1623	7565121	7.5	65	121	3.7	4.2	8000
1624	7580130	7.5	80	130	3.7	4.2	10000
1625	7672112	7.6	72	112	3.7	4.2	5000
1626	7678155	7.6	81	155	3.7	4.2	12000
1627	7850116	7.8	50	116	3.7	4.2	6000
1628	7855105	7.8	55	105	3.7	4.2	5500
1629	7865126	7.8	65	126	3.7	4.2	8000
1630	7966127	7.9	65	127	3.7	4.2	8900
1631	8040140	8	40	140	3.7	4.2	5000
1632	8060101	8	60	101	3.7	4.2	8000
1633	8066125	8	66	125	3.7	4.2	9000
1634	8377110	8.3	77	110	3.7	4.2	9000
1635	8565126	8.5	65	126	3.7	4.2	8750
1636	8658101	8.6	58	101	3.7	4.2	8000
1637	8770129	8.7	70	129	3.7	4.2	10000
1638	9055101	9	55	101	3.7	4.2	7000
1639	9059107	9	59	107	3.7	4.2	8000
1640	9068131	9	68	131	3.7	4.2	9100
1641	9069103	9	69	103	3.7	4.2	8500
1642	9072117	9	72	117	3.7	4.2	10000
1643	9085170	9	85	170	3.7	4.2	13000
1644	9151101	9.1	51	101	3.7	4.2	6000
1645	9165110	9.1	65	110	3.7	4.2	10000
1646	9294102	9.2	94	102	3.7	4.2	7500
1647	9365110	9.3	65	110	3.7	4.2	10000
1648	9365121	9.3	65	121	3.7	4.2	10000

No.	Model	Thickness (mm)	Width (mm)	Length (mm)	Min Voltage (V)	Max Voltage (V)	Capacity (mAh)
1649	9566145	9.5	66	145	3.7	4.2	10000
1650	9663117	9.6	63	117	3.7	4.2	10000
1651	9858102	9.8	58	102	3.7	4.2	10000
1652	9959103	9.9	59	103	3.7	4.2	10000
1653	10368166	10	68	166	3.7	4.2	11500
1654	24107110	2.4	107	110	3.7	4.2	3400
1655	25100156	2.5	100	156	3.7	4.2	5000
1656	25104110	2.5	104	110	3.7	4.2	3000
1657	26107138	2.6	107	138	3.7	4.2	5500
1658	26110133	2.6	110	133	3.7	4.2	5300
1659	26110158	2.6	110	158	3.7	4.2	5500
1660	27100100	2.7	100	100	3.7	4.2	3500
1661	27110150	2.7	110	150	3.7	4.2	5500
1662	28105110	2.8	105	110	3.7	4.2	3700
1663	28108118	2.8	108	118	3.7	4.2	4800
1664	28110145	2.8	110	145	3.7	4.2	7000
1665	29100114	2.9	100	114	3.7	4.2	4450
1666	29100118	2.9	100	118	3.7	4.2	5200
1667	29103106	2.9	103	106	3.7	4.2	4100
1668	29110160	2.9	110	160	3.7	4.2	6000
1669	30105110	3	105	110	3.7	4.2	4000
1670	30110115	3	110	115	3.7	4.2	4500
1671	30110150	3	110	150	3.7	4.2	7000
1672	35100100	3.5	100	100	3.7	4.2	4000
1673	36105166	3.6	105	166	3.7	4.2	9000
1674	36118152	3.6	118	152	3.7	4.2	7700
1675	37102160	3.7	102	160	3.7	4.2	7900
1676	37102265	3.7	102	265	3.7	4.2	9000
1677	38101118	3.8	101	118	3.7	4.2	5300
1678	38102155	3.8	102	155	3.7	4.2	6600
1679	39100150	3.9	100	150	3.7	4.2	7800
1680	40102110	4	102	110	3.7	4.2	6000
1681	40110175	4	110	175	3.7	4.2	9000
1682	50100150	5	100	150	3.7	4.2	9000

DNK POWER